



THE UZIN SELECTION

THE EVERYDAY TOOL FOR EVERY
PROFESSIONAL ON THE GROUND



UZIN UTZ®

OUR TOP 11 PRODUCTS FOR 90% OF ALL APPLICATIONS

With an extensive product range, it is sometimes difficult to maintain an overview. Yet everything could be so simple. Because even a small number of products covers the majority of applications.



WE HAVE THE SOLUTION: THE UZIN SELECTION

Applied as a system, the products of the UZIN SELECTION can be used in 90 % of all applications. For effective and economical work.

ALL UZIN SELECTION PRODUCTS MEET THE CRITERIA:

- + User-friendly
- + Safe & reliable
- + Very low emission
- + Universal

EVERYTHING IN IT

The UZIN SELECTION is the reliable basis for your success and makes your everyday life easier:

- + It is easier to search for a product
- + Mutually compatible products
- + The products are integrated into installation systems
- + Fewer products mean lower storage costs

Thanks to our many years of experience in the field of flooring, UZIN continues to offer you the proven product selection for special applications.



Further information under:
[uzin.com/selection](https://www.uzin.com/selection)

UZIN SELECTION

OUR TOP 11 PRODUCTS FOR 90% OF ALL APPLICATIONS

PRIMER / STABLE REPAIR COMPOUND

UZIN PE 360 PLUS

READY MIXED PRIMER

Moisture tolerant dispersion-based primer for absorbent substrates, screeds and concrete.

- + Ready mixed
- + Sprayable
- + Rapid drying
- + Reduces the absorbency of the substrate

UZIN PE 650

1-COMPONENT FLEX TROWEL-APPLIED PRIMER

Cement based dispersion primer and filler.

- + Sets hydraulically
- + Application thickness up to 4 mm
- + Flexible when set
- + Roller and trowel application
- + Fills, seals and smoothes in one application

UZIN NC 182

LOW-SLUMP CEMENTITIOUS REPAIR MORTAR

Moisture-resistant, low-slump and rapid repair mortar with reActivate effect for any range of thickness.

- + Ready to accept floor coverings after 60 minutes
- + Longer working-time with reActivate-Effect
- + Resistant against alkaline moisture
- + Fine grain, no visible patching marks
- + For every layer thickness range

UZIN PE 414 BiTurbo

1-COMPONENT PU RAPID PRIMER

Ready mixed reactive resin primer for floor coverings and wood flooring.

- + Easy handling
- + Easy application by roller or trowel
- + Excellent penetration
- + Fast drying (approx. 1 hour)
- + Moisture barrier up to 95 % R. H.** (4 CM-%)

**According to DIN EN 17668



SELF LEVELLING COMPOUND / THIN SCREED

UZIN NC 580

FUSIONTEC PREMIUM LEVELLING COMPOUND

Self-levelling, nearly tension-free, fast ready for covering floor levelling compound for all floor coverings and wood flooring for thicknesses from 0 – 20 mm.

- + For heavy loads (C40-F10)
- + Ready for floor covering after 6 hours
- + Nearly tension-free
- + Excellent flow characteristics

UZIN NC 567

FUSIONTEC THICK LAYER LEVELLING COMPOUND

Self-levelling, nearly tension-free thick layer levelling compound for producing bonded substrates and substrates on separating layer for layer thicknesses of 3 – 50 mm.

- + Can be used variably as a bonded or separating layer thick layer levelling compound
- + Nearly tension-free
- + Especially for large-areas with pumping applications in high thicknesses
- + For heavy loads (C30-F7)



ADHESIVE

UZIN KE 66

FIBRE-REINFORCED WET SET ADHESIVE

High-shear strength PVC and rubber adhesive with hard adhesive ridge.

- + Short waiting time
- + Excellent working properties
- + Very low consumption
- + Strongly CO₂-reduced product*
- + Increased stability at high temperatures

UZIN KE 2000 S

UNIVERSAL WET AND PRESSURE SENSITIVE ADHESIVE

Dispersion adhesive for all common resilient coverings, textile coverings, wall coverings and UZIN insulation/installation underlays.

- + Wide range of applications
- + Short waiting time
- + Excellent application properties
- + Good grab with stringing

* Over 90% reduction based on internally calculated value (see ECO₂ CHOICE). [As of 10/24]

UZIN MK 200

1-COMPONENT STP WOOD FLOORING ADHESIVE

Hard elastic adhesive for tongue and groove wood flooring.

- + Great adhesion
- + Good ridge formation
- + Long working time
- + Hard elastic adhesive according to ISO 17 178
- + Adhesive residues on wood flooring can be removed



DRY ADHESIVE

UZIN SIGAN 2

DRY ADHESIVE FILM BACKING FOR COVERING-ON-COVERING INSTALLATION

Dry adhesive for PVC/CV coverings, PVC design coverings, rubber coverings, textile coverings in sheets and tiles on structure-free floor coverings.

- + Quick and easy installation
- + Floor covering is immediately ready for foot traffic and loading
- + Later removal leaves no residues



UZIN U-TACK

UNIVERSAL SKIRTING TAPE THREAD SCRIM

Dry adhesive for materials made of textile, PVC, rubber or linoleum.

- + Quick and easy installation
- + Does not become brittle, providing a strong & permanent bond
- + On substrates with structure up to 1.5 mm
- + Easier with Toptac applicator





The brief descriptions given here are by their very nature incomplete.
Detailed product data sheets are therefore available for all products and must be observed:
*For layer thicknesses over 10 mm, an epoxy resin primer + scattering with quartz sand must be used.



Uzin Utz SE

Dieselstrasse 3
89079 Ulm
Germany

T +49 731 4097-0
F +49 731 4097-110
info@uzin.com
www.uzin.com